



NOTE:
SIZE OF BASIN TO BE DETERMINED
BY VOLUME REQUIRED; HOWEVER
A MINIMUM LENGTH-TO-WIDTH
RATIO OF 2:1 SHALL BE USED.

PLAN




SECTION ON FLOW LINE

SEDIMENT BASIN WITH RIPRAP OUTLET (E-9)




SECTION A-A




NOTE:
SIZE OF BASIN TO BE DETERMINED
BY VOLUME REQUIRED; HOWEVER
A MINIMUM LENGTH-TO-WIDTH
RATIO OF 2:1 SHALL BE USED.

PLAN




SECTION ON FLOW LINE

SEDIMENT BASIN WITH PIPE OUTLET (E-10)




DIVERSION DITCH (E-8)

NOTE:
A T-SECTION SHALL BE USED AT THE INLET
FOR TWO-DIRECTIONAL FLOW.
AN ELBOW SHALL BE USED FOR
ONE-DIRECTIONAL FLOW.




PLAN VIEW




PROFILE VIEW

SLOPE DRAIN (E-12)



PLAN VIEW



PROFILE

SEDIMENT BASIN (E-14)

6-2-94	Revised E-8 & E-12r Added E-14 & Deleted E-13		
4-1-93	ISSUED		
DATE	REVISION		FILMED

ARKANSAS STATE HIGHWAY COMMISSION
**TEMPORARY EROSION
CONTROL DEVICES**
STANDARD DRAWING TEC-2