NOTICE TO CONTRACTORS

Internet bids for the construction of the following jobs will be received by the Arkansas Department of Transportation at the STATE HIGHWAY BUILDING located at 10324 INTERSTATE 30, southwest of LITTLE ROCK, ARKANSAS, until ten o'clock a.m., (10:00 a.m.) and until one thirty p.m., (1:30 p.m.), April 9, 2025. Bids will be posted on the Department's website at http://www.ardot.gov/divisions/program-management/construction-contract-development/construction-contractors/currently-advertised-projects once the downloading process has been completed.

BIDS FOR THE FOLLOWING PROJECTS ARE DUE AT 10:00 A.M.

JOB NO.	JOB NAME	
A10044	I-40 – HWY. 50 (WIDENER) (S)	
A40030	HWYS. 64, 253 & 271 IMPVTS. (FORT SMITH) (S)	
A50037	HWYS. 64, 167, 258 & 367 IMPVTS. (WHITE CO.) (S)	
061856	HWYS. 63/70 Y-INTERS. SAFETY IMPVTS. (PRAIRIE CO.) (S)	
A90035	HWYS. 392 & 397 IMPVTS. (BOONE CO.) (S)	
C04028	GATEWAY SURFACING (S)	
SA0769	CO. RD. 35 OVERLAY (S)	
SA1668	ROGERS CHAPEL RD. OVERLAY (S)	
SA1843	CRITTENDEN CO. OVERLAY NO. 3 (S)	
SA2044	DALLAS CO. OVERLAY NO. 3 (S)	
SA3055	HWY. 9 – EAST (LEVELING & SEAL) (S)	
SA3147	RAILROAD – CO. RD. 3 (LEVEL & RESEAL) (S)	
SA3353	CO. RD. 6 RESEAL (S)	
SA6057	BATESVILLE PIKE – SHERWOOD CITY LIMITS (OVERLAY) (S)	
SA6346	FOXY LN. OVERLAY & REHAB. (S)	

BIDS FOR THE FOLLOWING PROJECTS ARE DUE AT 1:30 P.M.

JOB NO.	JOB NAME
440047	DD1///10 DD
A10047	BRUINS RD. – HWY. 147 (S)
A20034	LINCOLN CO. LINE – HWY. 65 (S)
061826	SOCIAL HILL REST AREA SAFETY IMPVTS. (S)
A90034	BERRYVILLE – EAST (SEL. SECS.) (S)
SA0252	ASHLEY CO. SURFACING (S)
SA0448	MCNELLY RD. OVERLAY (S)
SA1449	MAGNOLIA CITY LIMITS – CO. RD. 204 (LEVEL & RESEAL) (S)
SA1667	CRAIGHEAD CO. SEALING NO. 4 (S)
SA2755	GRANT CO. LEVEL & RESEAL NO. 2 (S)
SA2756	HWY. 35 – NORTH (OVERLAY) (S)
SA3352	HWY. 69S – CO. RD. 57 (OVERLAY) (S)
SA4748	MISSISSIPPI CO. LEVEL & RESEAL (S)
SA6258	COLONEL GLENN RD. – NORTH (OVERLAY) (S)
SA6650	CO. RD. 12 DRAINAGE STRUCTURE (S)

Plans, Proposal Documents, and Specifications may be purchased in the Program Management Division at the address noted above during regular business hours until 4:30 the day before the time established for opening of Proposals.

To become an eligible bidder, prospective bidders must be registered to bid in Arkansas with Bid Express. Prospective bidders must also contact the Program Management Division at (501) 569-2261 during regular business hours (or via email at pmd@ardot.gov) between the date the project is advertised and 4:30 p.m. on the day prior to the scheduled bid opening to request to become eligible to bid specific projects. Only prequalified contractors or their authorized representative may request to become an eligible bidder.

Questions pertaining to projects during the advertisement period should be addressed to the Program Management Division at pmd@ardot.gov. The deadline to submit a question is the Wednesday prior to the scheduled letting date. A question submitted after the close of business on the Wednesday prior to the scheduled letting date may not receive a response.

In order to have a bid considered, contractors must furnish a proposal guaranty consisting of either a bidder's bond or a certified or cashier's check in the amount of five percent (5%) of the total amount bid. In order for a bond to be acceptable to the Department, the company issuing the bond must be named in the Department of Treasury Listing of companies holding Certificates of Authority as acceptable sureties on Federal Bonds and as acceptable reinsuring companies. The Underwriting Limitation of the bonding company shall be adhered to. Any excess (between the face amount of the Bond and the Underwriting Limitation) shall be protected by reinsurance provided by an acceptable reinsuring company.

A current directory of certified DBE firms may be obtained on the Department's web site at https://www.ardot.gov/divisions/equal-employment-opportunity-disadvantaged-business-enterprise/dbe or may be requested by calling the Department's EEO-DBE Section at (501) 569-2259 or the Program Management Division, Construction Contract Development Section at (501) 569-2261.

It is suggested that successful bidders utilize to the fullest extent practicable the facilities and services of the local offices of the Arkansas Department of Workforce Services to meet their manpower requirements.

These contracts are subject to normal prequalification, licensing and bonding requirements, applicable labor laws, non-discrimination provisions, wage rate laws and other Federal laws including the Fair Labor Standards Acts of 1938. The Work Hours Act of 1962 and Title VI of the Civil Rights Act of 1964 also apply.

The Arkansas Department of Transportation (ARDOT) complies with all civil rights provisions of federal statutes and related authorities that prohibit discrimination in programs and activities receiving federal financial assistance. Therefore, ARDOT does not discriminate on the basis of race, sex, color, age, national origin, religion (not applicable as a protected group under the Federal Motor Carrier Safety Administration Title VI Program), disability, Limited English Proficiency (LEP), or low-income status in the admission, access to and treatment in ARDOT's programs and activities, as well as ARDOT's hiring or employment practices. Complaints of alleged discrimination and inquiries regarding ARDOT's nondiscrimination policies may be directed to Civil Rights Officer Joanna P. McFadden (ADA/504/Title VI Coordinator), P. 0. Box 2261, Little Rock, Arkansas 72203-2261, (501) 569-2298, (Voice/TTY 711), or the following email address: joanna.mcfadden@ardot.gov.

Free language assistance for Limited English Proficient individuals is available upon request.

This notice is available from the ADA/504/Title VI Coordinator in large print, on audiotape and in Braille.

The Department reserves the right to reject any or all bids and to waive any formalities.

BY AUTHORITY OF ARKANSAS STATE HIGHWAY COMMISSION

Philip Taldo, Chairman

NOTICE TO ALL BIDDERS

TO REPORT BID RIGGING ACTIVITIES CALL:

1-800-424-9071

The United States Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

A10044

I-40 - HWY. 50 (WIDENER) (S)

FEDERAL AID PROJECT STPR-HSIP-0068(54)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 2.384 MILES OF HIGHWAY 38 IN WIDENER IN ST. FRANCIS COUNTY. THIS PROJECT CONSISTS OF A REMOVAL AND DISPOSAL ITEM, TRENCHING AND SHOULDER PREPARATION, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, EROSION CONTROL, RUMBLE STRIPES, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 38 SECTIONS: 5

COUNTY: ST. FRANCIS

LENGTH: 2.384 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202047	R&D OF CONCRETE ISLANDS	390.00	SQYD
215011	TRENCH.AND SHOULDER PREP.	100.00	STA
303117	AGGR.BASE COURSE(CLASS 7)	263.00	TON
401011	TACK COAT	7,553.00	GAL
406161	M.A. IN ACHM BINDER(1")	940.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	42.00	TON
407162	MA IN ACHM SURFACE(1/2")	4,683.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	277.00	TON
412002	COLD MILLING ASPHALT PVMT.	14,844.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	61.00	TON
415011	ACHM PATCH.EXIST.RDWY.	200.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	502.00	SQFT
604041	CONST.PAVEMENT MARKINGS	77,566.00	LF
604083	VERTICAL PANELS	96.00	EACH
621021	SILT FENCE	3,000.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	111.00	CUYD
642011	RUMBLE STRIPES IN ASPHALT SHOULDERS	20,078.00	LF
719002	THERMO.PVMT.MARK.WH(6")	25,857.00	LF
719005	THERMO.PVMT.MARK.WH(12")	473.00	LF
719102	THERMO.PVMT.MARK.YL(6")	12,926.00	LF
721002	RAISED PAVEMENT MARKERS-2	162.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 4.0%.

A10047

BRUINS RD. – HWY. 147 (S)

FEDERAL AID PROJECT STPR-0018(68)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 8.811 MILES OF HIGHWAY 131 IN CRITTENDEN COUNTY. THIS PROJECT CONSISTS OF REMOVAL AND DISPOSAL ITEMS, TRENCHING AND SHOULDER PREPARATION, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, APPROACH GUTTERS, MAINTENANCE OF TRAFFIC, EROSION CONTROL, RUMBLE STRIPES, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 131 SECTIONS: 2

COUNTY: CRITTENDEN

LENGTH: 8.811 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202052	R&D OF APPROACH GUTTERS	4.00	EACH
202132	R&D OF GUARDRAIL	200.00	LF
215011	TRENCH.AND SHOULDER PREP.	460.00	STA
303117	AGGR.BASE COURSE(CLASS 7)	922.00	TON
401011	TACK COAT	21,967.00	GAL
406161	M.A. IN ACHM BINDER(1")	4,328.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	194.00	TON
407162	MA IN ACHM SURFACE(1/2")	13,149.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	780.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,973.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	220.00	TON
415011	ACHM PATCH.EXIST.RDWY.	50.00	TON
504264	APPROACH GUTTERS	39.04	CUYD
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	690.00	SQFT
604041	CONST.PAVEMENT MARKINGS	318,234.00	LF
604083	VERTICAL PANELS	96.00	EACH
621021	SILT FENCE	10,000.00	LF
621111	SEDIMENT REMOVAL & DISPOSAL	370.00	CUYD
642011	RUMBLE STRIPES IN ASPHALT SHOULDERS	46,874.00	LF
719002	THERMO.PVMT.MARK.WH(6")	93,449.00	LF
719005	THERMO.PVMT.MARK.WH(12")	10.00	LF
719102	THERMO.PVMT.MARK.YL(6")	65,668.00	LF
721002	RAISED PAVEMENT MARKERS-2	582.00	EACH
734011	BRIDGE END TERMINAL	4.00	EACH
804003	REINF.STEEL-ROADWAY (GR 60)	3,908.00	LB

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 4.0%.

A20034

LINCOLN CO. LINE - HWY. 65 (S)

FEDERAL AID PROJECT NHPP-0035(74)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 8.321 MILES OF HIGHWAY 425 IN JEFFERSON COUNTY. THIS PROJECT CONSISTS OF A REMOVAL AND DISPOSAL ITEM, AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, APPROACH GUTTERS, MAINTENANCE OF TRAFFIC, GUARDRAIL, RUMBLE STRIPS AND STRIPES, LOOP WIRING, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 425 SECTIONS: 7

COUNTY: JEFFERSON

LENGTH: 8.321 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

R&D OF GUARDRAIL	654.00	LF
COMPACTED EMBANKMENT	20.00	CUYD
AGGR.BASE COURSE(CLASS 7)	1,460.00	TON
TACK COAT	51,038.00	GAL
MA IN ACHM SURFACE(1/2")	30,903.00	TON
AB(PG70-22)ACHM SURF(1/2")	1,903.00	TON
COLD MILLING ASPHALT PVMT.	298,077.00	SQYD
ASPH.CONC.PATCH-MAINT.	208.00	TON
ACHM PATCH.EXIST.RDWY.	750.00	TON
APPROACH GUTTERS	36.20	CUYD
MOBILIZATION	1.00	L.S.
MAINTENANCE OF TRAFFIC	1.00	L.S.
SIGNS	936.00	SQFT
TRAFFIC DRUMS	20.00	EACH
CONST.PAVEMENT MARKINGS	428,824.00	LF
GUARDRAIL (TYPE A)	500.00	LF
GUARDRAIL TERMINAL (TYPE 2)	4.00	EACH
THRIE BEAM GUARDRAIL TERMINAL	4.00	EACH
RUMBLE STRIPS IN ASPHALT SHOULDERS	702,002.00	LF
CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	7,945.00	LF
PORTABLE TRAFFIC SIGNAL SYSTEM-ACTUATED	8.00	WEEK
LOOP WIRING CLASS III (1C/16 A.W.G.)	456.00	LF
THERMO.PVMT.MARK.WH(6")	118,948.00	LF
THERMO.PVMT.MARK.WH(8")	77.00	LF
THERMO.PVMT.MARK.WH(12")	35.00	LF
THERMO.PVMT.MARK.YL(6")	95,464.00	LF
THERMO.PVMT.MARK.(WORD)	2.00	EACH
THERMO.PVMT.MARK.(ARROW)	14.00	EACH
RAISED PAVEMENT MARKERS-2	2,804.00	EACH
REINF.STEEL-ROADWAY (GR 60)	4,388.00	LB
	COMPACTED EMBANKMENT AGGR.BASE COURSE(CLASS 7) TACK COAT MA IN ACHM SURFACE(1/2") AB(PG70-22)ACHM SURF(1/2") COLD MILLING ASPHALT PVMT. ASPH.CONC.PATCH-MAINT. ACHM PATCH.EXIST.RDWY. APPROACH GUTTERS MOBILIZATION MAINTENANCE OF TRAFFIC SIGNS TRAFFIC DRUMS CONST.PAVEMENT MARKINGS GUARDRAIL (TYPE A) GUARDRAIL TERMINAL (TYPE 2) THRIE BEAM GUARDRAIL TERMINAL RUMBLE STRIPS IN ASPHALT SHOULDERS CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS PORTABLE TRAFFIC SIGNAL SYSTEM-ACTUATED LOOP WIRING CLASS III (1C/16 A.W.G.) THERMO.PVMT.MARK.WH(6") THERMO.PVMT.MARK.WH(12") THERMO.PVMT.MARK.WH(12") THERMO.PVMT.MARK.WH(12") THERMO.PVMT.MARK.(WORD) THERMO.PVMT.MARK.(WORD) THERMO.PVMT.MARK.(ARROW) RAISED PAVEMENT MARKERS-2	COMPACTED EMBANKMENT 20.00 AGGR.BASE COURSE(CLASS 7) 1,460.00 TACK COAT 51,038.00 MA IN ACHM SURFACE(1/2") 30,903.00 AB(PG70-22)ACHM SURF(1/2") 1,903.00 COLD MILLING ASPHALT PVMT. 298,077.00 ASPH.CONC.PATCH-MAINT. 208.00 ACHM PATCH.EXIST.RDWY. 750.00 APPROACH GUTTERS 36.20 MOBILIZATION 1.00 MAINTENANCE OF TRAFFIC 1.00 SIGNS 936.00 TRAFFIC DRUMS 20.00 CONST.PAVEMENT MARKINGS 428,824.00 GUARDRAIL (TYPE A) 500.00 GUARDRAIL TERMINAL (TYPE 2) 4.00 THRIE BEAM GUARDRAIL TERMINAL 4.00 RUMBLE STRIPS IN ASPHALT SHOULDERS 702,002.00 CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS 7,945.00 PORTABLE TRAFFIC SIGNAL SYSTEM-ACTUATED 8.00 LOOP WIRING CLASS III (1C/16 A.W.G.) 456.00 THERMO.PVMT.MARK.WH(6") 118,948.00 THERMO.PVMT.MARK.WH(8") 77.00 THERMO.PVMT.MARK.WH(12") 35.00 THERMO.PVMT.MARK.(WORD) 2.00 <t< td=""></t<>

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

A40030

HWYS. 64, 253 & 271 IMPVTS. (FORT SMITH) (S)

FEDERAL AID PROJECT STPF-0065(64)

THE PURPOSE OF THIS PROJECT IS TO MILL AND 5" CONCRETE OVERLAY APPROXIMATELY 2.835 MILES OF HIGHWAYS 64, 253, AND 271 IN FORT SMITH IN SEBASTIAN COUNTY. THIS PROJECT CONSISTS OF A REMOVAL AND DISPOSAL ITEM, AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, PORTLAND CEMENT CONCRETE PAVEMENT AND PATCHING, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS, LOOP WIRING, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 64, 253 & 271

SECTIONS: 1, 2 & 1

COUNTY: SEBASTIAN

LENGTH: 2.835 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202002	DOD OF CHED AND CHITTED	200.00	
202003	R&D OF CURB AND GUTTER	200.00 327.00	LF
303117	AGGR.BASE COURSE(CLASS 7)		TON
401011	TACK COAT	7,848.00	GAL
407162	MA IN ACHM SURFACE(1/2")	5,122.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	9.00	TON
407442	AB(PG70-22)ACHM SURF(1/2")	307.00	TON
412002	COLD MILLING ASPHALT PVMT.	78,133.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	100.00	TON
415011	ACHM PATCH.EXIST.RDWY.	300.00	TON
501105	P.C.C.PAVEMENT-5"	46,916.00	SQYD
501213	HES CONCRETE PAVEMENT-5"	1,000.00	SQYD
505011	P.C.CONCRETE DRIVEWAY	289.09	SQYD
507002	R & D OF CONCRETE PAVEMENT FOR PATCHING	1,650.00	SQYD
507229	P.C.C.P. PATCH-9"	1,650.00	SQYD
509001	JOINT REHAB. (TYPE A)	7,500.00	LF
509002	JOINT REHAB. (TYPE B)	17,500.00	LF
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	675.00	SQFT
604013	BARRICADES	8.00	LF
604023	TRAFFIC DRUMS	575.00	EACH
604041	CONST.PAVEMENT MARKINGS	52,313.00	LF
604045	CONST.PAVEMENT MARKINGS (WORD)	15.00	EACH
604046	CONST.PAVEMENT MARKINGS (ARROW)	17.00	EACH
604051	REMOVABLE CONST.PVMT.MRK.	49,901.00	LF
604061	REMOVAL OF PERM.PVMT.MRK.	17,274.00	LF
604077	PORT.CHANGEABLE MESSAGE SIGN	90.00	DAY
604083	VERTICAL PANELS	775.00	EACH
634231	CC CURB & GUTTER-B1 (1'6")	200.00	LF
637001	MAILBOXES	13.00	EACH
637017	MAILBOX SUPPORTS (SINGLE)	11.00	EACH
637018	MAILBOX SUPPORTS (DOUBLE)	1.00	EACH
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	7,465.00	LF
704036	LOOP WIRING CLASS III (1C/16 A.W.G.)	1,800.00	LF
719002	THERMO.PVMT.MARK.WH(6")	27,216.00	LF
	• •		

719005	THERMO.PVMT.MARK.WH(12")	720.00	LF
719102	THERMO.PVMT.MARK.YL(6")	28,934.00	LF
719201	THERMO.PVMT.MARK.(WORD)	15.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	17.00	EACH
719210	THERMO.PVMT.MARK.(YIELD LINE)	20.00	LF
721002	RAISED PAVEMENT MARKERS-2	560.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 5.0%.

A50037

HWYS. 64, 167, 258 & 367 IMPVTS. (WHITE CO.) (S)

FEDERAL AID PROJECT STPR-0073(100)

THE PURPOSE OF THIS PROJECT IS TO MILL, OVERLAY, AND PLACE ULTRATHIN BONDED WEARING COURSE ON APPROXIMATELY 16.147 MILES OF VARIOUS HIGHWAYS IN WHITE COUNTY. THIS PROJECT CONSISTS OF REMOVAL AND DISPOSAL ITEMS, AGGREGATE BASE COURSE, ASPHALT EMULSION, ACHM SURFACE COURSE, ULTRATHIN BONDED WEARING COURSE, HOT IN-PLACE RECYCLED ASPHALT CONCRETE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, APPROACH GUTTERS, MAINTENANCE OF TRAFFIC, GUARDRAIL, RUMBLE STRIPS, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: VARIOUS SECTIONS: VARIOUS

COUNTY: WHITE

LENGTH: 16.147 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202052	DO D OF ADDDO ACH CHITTEDS	0.00	FACIL
202052	R&D OF APPROACH GUTTERS	8.00	EACH
202132	R&D OF GUARDRAIL	600.00	LF
303117	AGGR.BASE COURSE(CLASS 7)	3,445.00	TON
401011	TACK COAT	74,248.00	GAL
402600	ASPHALT EMULSION	69,004.00	GAL
407162	MA IN ACHM SURFACE(1/2")	40,323.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	2,392.00	TON
407904	ULTRATHIN BONDED WEARING CRS (3/4"-TY C)	4,273.00	TON
407953	HOT IN-PLACE RECYCLED ASPHALT CONCRETE	175,657.00	SQYD
412002	COLD MILLING ASPHALT PVMT.	69,148.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	1,500.00	TON
504264	APPROACH GUTTERS	104.16	CUYD
601001	MOBILIZATION	1.00	L.S.
603010	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	2,370.00	SQFT
604023	TRAFFIC DRUMS	50.00	EACH
604041	CONST.PAVEMENT MARKINGS	276,514.00	LF
617005	GUARDRAIL (TYPE A)	725.00	LF
617312	GUARDRAIL TERMINAL (TYPE 2)	8.00	EACH
617332	THRIE BEAM GUARDRAIL TERMINAL	8.00	EACH
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	46,412.00	LF
719002	THERMO.PVMT.MARK.WH(6")	188,206.00	LF
719003	THERMO.PVMT.MARK.WH(8")	243.00	LF
719005	THERMO.PVMT.MARK.WH(12")	627.00	LF
719102	THERMO.PVMT.MARK.YL(6")	188,206.00	LF
719201	THERMO.PVMT.MARK.(WORD)	5.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	7.00	EACH
719210	THERMO.PVMT.MARK.(YIELD LINE)	30.00	LF
721002	RAISED PAVEMENT MARKERS-2	2,390.00	EACH
804003	REINF.STEEL-ROADWAY (GR 60)	9,880.00	LB

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

SOCIAL HILL REST AREA SAFETY IMPVTS. (S)

FEDERAL AID PROJECT HSIP-0030(34)

THE PURPOSE OF THIS PROJECT IS TO INSTALL LIGHTING ON ALL RAMPS AT THE SOCIAL HILL REST AREA ON INTERSTATE 30 IN HOT SPRING COUNTY. THIS PROJECT CONSISTS OF LIGHTING AND MISC. ITEMS.

ROUTES: I-30 SECTIONS: 21

COUNTY: HOT SPRING

LENGTH: NO PROJECT LENGTH.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

601001	MOBILIZATION	1.00	L.S.
708218	ELEC.CONDIN-CONDUIT(2C/4 AWG,EGC)	1,287.00	LF
708224	ELEC.CONDIN-CONDUIT(2C/2 AWG,EGC)	1,183.00	LF
708225	ELEC. CONDIN-CONDUIT (2C/1 AWG, EGC)	1,712.00	LF
708451	ELECT.COND. FOR LUMINAIRES	636.00	LF
710004	NON-METALLIC CONDUIT (2")	2,778.00	LF
710005	NON-METALLIC CONDUIT (3")	498.00	LF
711117	CONCRETE PULL BOX (TYPE 2 HD)	6.00	EACH
711118	CONCRETE PULL BOX (TYPE 3 HD)	2.00	EACH
714624	HIGH MAST ILL. ASSEMBLY (150'-6 LUM.)	2.00	EACH
714642	HIGH MAST ILL. ASMBLY(150'-6)	2.00	EACH
715109	PEDESTAL TYPE SERVICE POINT (100 AMP)	1.00	EACH

061856

HWYS. 63/70 Y-INTERS. SAFETY IMPVTS. (PRAIRIE CO.) (S)

FEDERAL AID PROJECT HSIP-0059(26)

THE PURPOSE OF THIS PROJECT IS TO IMPROVE APPROXIMATELY 0.022 MILE OF A Y-INTERSECTION ON HIGHWAYS 63 AND 70 IN PRAIRIE COUNTY. THIS PROJECT CONSISTS OF CLEARING AND GRUBBING, STONE BACKFILL, EARTHWORK, AGGREGATE BASE COURSE, ACHM BINDER AND SURFACE COURSES, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, CULVERT CLEAN OUT, EROSION CONTROL, CONCRETE ISLAND, RUMBLE STRIPES, PAVEMENT MARKING, THERMOPLASTIC RUMBLE BAR, AND MISC. ITEMS.

ROUTES: 63 & 70 SECTIONS: 11, 11Y & 16

COUNTY: PRAIRIE

LENGTH: 0.022 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

201011	CLEARING	2.00	STA
201011	GRUBBING	2.00	STA
207011	STONE BACKFILL	50.00	TON
210213	UNCLASSIFIED EXCAVATION	16.00	CUYD
210213	COMPACTED EMBANKMENT	434.00	CUYD
303117	AGGR.BASE COURSE(CLASS 7)	363.00	TON
401011	TACK COAT	1,380.00	GAL
406161	M.A. IN ACHM BINDER(1")	133.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	7.00	TON
407162	MA IN ACHM SURFACE(1/2")	933.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	49.00	TON
412002	COLD MILLING ASPHALT PVMT.	800.00	SQYD
414011	ASPH.CONC.PATCH-MAINT.	10.00	TON
415011	ACHM PATCH.EXIST.RDWY.	10.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	223.00	SQFT
604023	TRAFFIC DRUMS	25.00	EACH
604041	CONST.PAVEMENT MARKINGS	594.00	LF
604083	VERTICAL PANELS	20.00	EACH
606002	CULVERT CLEAN OUT	2.00	EACH
620001	LIME	0.30	TON
620011	SEEDING	0.15	ACRE
620022	MULCH COVER	0.15	ACRE
620030	WATER	15.30	MGAL
621021	SILT FENCE	155.00	LF
621031	SAND BAG DITCH CHECKS	110.00	BAG
621111	SEDIMENT REMOVAL & DISPOSAL	16.00	CUYD
621173	WATTLE (20")	45.00	LF
623001	SECOND SEEDING APPLICATION	0.15	ACRE
632011	CONCRETE ISLAND	427.00	SQYD
635001	ROADWAY CONSTRUCTION CONTROL	1.00	L.S.
642102	CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	700.00	LF
719002	THERMO.PVMT.MARK.WH(6")	2,284.00	LF
719005	THERMO.PVMT.MARK.WH(12")	27.00	LF
	·		

719102	THERMO.PVMT.MARK.YL(6")	2,259.00	LF
719105	THERMO.PVMT.MARK.YL(12")	518.00	LF
719201	THERMO.PVMT.MARK.(WORD)	1.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	1.00	EACH
719231	THERMOPLASTIC RUMBLE BAR	70.00	LF
721002	RAISED PAVEMENT MARKERS-2	41.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN ONE HUNDRED SEVENTY-FIVE (175) CALENDAR DAYS.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 5.0%.

A90034

BERRYVILLE - EAST (SEL. SECS.) (S)

FEDERAL AID PROJECT STPSC-0008(52)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 8.314 MILES OF HIGHWAY 62 IN CARROLL COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS AND STRIPES, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 62 SECTIONS: 5

COUNTY: CARROLL

LENGTH: 8.314 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	736.00	TON
401011	TACK COAT	68,780.00	GAL
407161	MA IN ACHM SURFACE(3/8")	8,945.00	TON
407162	MA IN ACHM SURFACE(1/2")	27,700.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	581.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	1,674.00	TON
412002	COLD MILLING ASPHALT PVMT.	88,583.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	300.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,122.00	SQFT
604041	CONST.PAVEMENT MARKINGS	206,098.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	68,281.00	LF
642102	CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	600.00	LF
719002	THERMO.PVMT.MARK.WH(6")	91,004.00	LF
719005	THERMO.PVMT.MARK.WH(12")	138.00	LF
719102	THERMO.PVMT.MARK.YL(6")	115,094.00	LF
719201	THERMO.PVMT.MARK.(WORD)	2.00	EACH
719202	THERMO.PVMT.MARK.(ARROW)	2.00	EACH
721002	RAISED PAVEMENT MARKERS-2	2,206.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 2.0%.

HWYS. 392 & 397 IMPVTS. (BOONE CO.) (S)

FEDERAL AID PROJECT STPSC-0005(902)

THE PURPOSE OF THIS PROJECT IS TO MILL AND OVERLAY APPROXIMATELY 10.455 MILES OF HIGHWAYS 392 AND 397 IN BOONE COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, RUMBLE STRIPS AND STRIPES, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: 392 & 397 SECTIONS: 1 & 0

COUNTY: BOONE

LENGTH: 10.455 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	1,785.00	TON
401011	TACK COAT	25,704.00	GAL
407162	MA IN ACHM SURFACE(1/2")	15,756.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	952.00	TON
412002	COLD MILLING ASPHALT PVMT.	8,228.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	300.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	1,238.00	SQFT
604041	CONST.PAVEMENT MARKINGS	216,522.00	LF
642001	RUMBLE STRIPS IN ASPHALT SHOULDERS	940.00	LF
642011	RUMBLE STRIPES IN ASPHALT SHOULDERS	38,834.00	LF
642102	CENTERLINE RUMBLE STRIPES IN ASPH. RDWYS	39,774.00	LF
719002	THERMO.PVMT.MARK.WH(6")	108,261.00	LF
719005	THERMO.PVMT.MARK.WH(12")	12.00	LF
719102	THERMO.PVMT.MARK.YL(6")	108,261.00	LF
721002	RAISED PAVEMENT MARKERS-2	677.00	EACH

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT ON OR BEFORE November 26, 2025.

THE PERCENTAGE GOAL FOR DISADVANTAGED BUSINESS ENTERPRISE (DBE) PARTICIPATION IN THIS PROJECT IS 5.0%.

C04028

GATEWAY SURFACING (S)

STATE AID CITY JOB (CODE 9971)

THE PURPOSE OF THIS PROJECT IS TO SURFACE APPROXIMATELY 0.73 MILE OF VARIOUS CITY STREETS IN THE CITY OF GATEWAY IN BENTON COUNTY. THIS PROJECT CONSISTS OF SCARIFYING AND RECOMPACTING ROADWAY, AGGREGATE BASE COURSE, ACHM BINDER COURSE, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: VARIOUS

COUNTY: BENTON

LENGTH: 0.73 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

216201	SCARIFYING AND RECOMPACTING ROADWAY	39.00	STA
303107	AGGR.BASE COURSE(CLASS 7)	193.00	TON
401011	TACK COAT	623.00	GAL
406161	M.A. IN ACHM BINDER(1")	1,361.00	TON
406402	A.B.(PG64-22)ACHM BINDER(1")	66.00	TON
407161	MA IN ACHM SURFACE(3/8")	805.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	52.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	96.00	SQFT
726002	STANDARD SIGN	12.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	4.00	EACH

SA0252

ASHLEY CO. SURFACING (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO SURFACE APPROXIMATELY 1.02 MILES OF COUNTY ROAD 402 AND 0.75 MILE OF COUNTY ROAD 403 IN ASHLEY COUNTY. THIS PROJECT CONSISTS OF PRIME COAT, ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS

ROUTES: CRS 402 & 403

COUNTY: ASHLEY

LENGTH: 1.77 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401001	PRIME COAT	8,396.00	GAL
402112	MINERAL AGGR.IN A.S.T.(CL2)	649.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	14,964.00	GAL
601001	MOBILIZATION	1.00	L.S.
603001	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	164.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	18,692.00	LF
726002	STANDARD SIGN	48.50	SQFT
729001	CHANNEL POST SIGN SUPPORT-A	2.00	EACH
729003	CHANNEL POST SIGN SUPPORT-C	6.00	EACH

MCNELLY RD. OVERLAY (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY 2.16 MILES OF COUNTY ROAD 40 IN BENTON COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKINGS, AND MISC. ITEMS.

ROUTES: CR 40

COUNTY: BENTON

LENGTH: 2.16 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	445.00	TON
401011	TACK COAT	4,388.00	GAL
407161	MA IN ACHM SURFACE(3/8")	3,740.00	TON
407441	AB(PG70-22)ACHM SURF(3/8")	243.00	TON
412002	COLD MILLING ASPHALT PVMT.	1,666.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	50.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	241.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	23,446.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	23,446.00	LF

CO. RD. 35 OVERLAY (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 2.08 MILES OF COUNTY ROAD 35 IN CALHOUN COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: CR 35

COUNTY: CALHOUN

LENGTH: 2.08 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	2,927.00	GAL
407161	MA IN ACHM SURFACE(3/8")	2,519.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	166.00	TON
415011	ACHM PATCH.EXIST.RDWY.	20.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	252.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	22,176.00	LF

MAGNOLIA CITY LIMITS - CO. RD. 204 (LEVEL & RESEAL) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND SEAL APPROXIMATELY 7.15 MILES OF COUNTY ROAD 15 IN COLUMBIA COUNTY. THIS PROJECT CONSISTS OF ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, RECONSTRUCTED BASE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 15

COUNTY: COLUMBIA

LENGTH: 7.15 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

305001	RECONSTRUCTED BASE COURSE	7.00	STA
401011	TACK COAT	1,141.00	GAL
402112	MINERAL AGGR.IN A.S.T.(CL2)	1,332.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	30,439.00	GAL
407161	MA IN ACHM SURFACE(3/8")	777.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	51.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	196.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	75,716.00	LF
726002	STANDARD SIGN	60.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	14.00	EACH

SA1667

CRAIGHEAD CO. SEALING NO. 4 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO SEAL APPROXIMATELY 2.96 MILES OF COUNTY ROAD 80 IN CRAIGHEAD COUNTY. THIS PROJECT CONSISTS OF FOG SEAL, REJUVENATING MASS CRACK TREATMENT, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 80

COUNTY: CRAIGHEAD

LENGTH: 2.96 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401005	FOG SEAL (TYPE 2)	3,642.00	GAL
402114	MINERAL AGGR.IN A.S.T.(CL4)	455.00	TON
402501	REJUVINATING EMULSIFIED ASPH (CMS-1PC)	10,925.00	GAL
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	104.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	11,647.00	LF

SA1668

ROGERS CHAPEL RD. OVERLAY (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO PLACE ULTRATHIN BONDED WEARING COURSE ON APPROXIMATELY 3.70 MILES OF COUNTY ROAD 47 IN CRAIGHEAD COUNTY. THIS PROJECT CONSISTS OF ULTRATHIN BONDED WEARING COURSE, COLD MILLING, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 47

COUNTY: CRAIGHEAD

LENGTH: 3.70 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

407904	ULTRATHIN BONDED WEARING CRS (3/4"-TY C)	2,644.00	TON
412001	COLD MILLING ASPHALT PVMT.	2,098.00	SQYD
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	312.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	39,388.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	14,710.00	LF

CRITTENDEN CO. OVERLAY NO. 3 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 3.12 MILES OF COUNTY ROADS 305 AND 12 IN CRITTENDEN COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, AGGREGATE BASE COURSE, BASE REPLACEMENT, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS

ROUTES: CRS 305 & 12

COUNTY: CRITTENDEN

LENGTH: 3.12 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

207011	STONE BACKFILL	132.00	TON
303117	AGGR.BASE COURSE(CLASS 7)	494.00	TON
401002	PRIME COAT	58.00	GAL
401011	TACK COAT	3,915.00	GAL
407162	MA IN ACHM SURFACE(1/2")	4,510.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	268.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	316.00	SQFT
625020	GEOTEXTILE FABRIC (TYPE 10)	274.00	SQYD
718101	REFL.PAINT PVMT.MRK.YL(4")	7,710.00	LF
726002	STANDARD SIGN	72.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	22.00	EACH

SA2044

DALLAS CO. OVERLAY NO. 3 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.04 MILES OF COUNTY ROADS 6 AND 19 IN DALLAS COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, SCARIFYING AND RECOMPACTING ROADWAY, PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: CRS 6 & 19

COUNTY: DALLAS

LENGTH: 1.04 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

216201	SCARIFYING AND RECOMPACTING ROADWAY	7.00	STA
401011	TACK COAT	1,712.00	GAL
407161	MA IN ACHM SURFACE(3/8")	1,592.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	105.00	TON
415011	ACHM PATCH.EXIST.RDWY.	100.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	240.00	SQFT

GRANT CO. LEVEL & RESEAL NO. 2 (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND SEAL APPROXIMATELY 2.25 MILES OF COUNTY ROAD 8 IN GRANT COUNTY. THIS PROJECT CONSISTS OF ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 8

COUNTY: GRANT

LENGTH: 2.25 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	356.00	TON
401011	TACK COAT	225.00	GAL
402112	MINERAL AGGR.IN A.S.T.(CL2)	485.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	11,088.00	GAL
407161	MA IN ACHM SURFACE(3/8")	140.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	10.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	116.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	18,563.00	LF
726002	STANDARD SIGN	72.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	14.00	EACH

HWY. 35 - NORTH (OVERLAY) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 2.00 MILES OF COUNTY ROAD 51 IN GRANT COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 51

COUNTY: GRANT

LENGTH: 2.00 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	317.00	TON
401011	TACK COAT	2,249.00	GAL
407162	MA IN ACHM SURFACE(1/2")	2,684.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	159.00	TON
415011	ACHM PATCH.EXIST.RDWY.	130.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	100.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	21,120.00	LF

HWY. 9 - EAST (LEVELING & SEAL) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND SEAL APPROXIMATELY 5.07 MILES OF COUNTY ROAD 60 IN HOT SPRING COUNTY. THIS PROJECT CONSISTS OF FOG SEAL, ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 60

COUNTY: HOT SPRING

LENGTH: 5.07 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401005	FOG SEAL (TYPE 2)	5,430.00	GAL
401011	TACK COAT	2,700.00	GAL
402112	MINERAL AGGR.IN A.S.T.(CL2)	950.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	21,720.00	GAL
407161	MA IN ACHM SURFACE(3/8")	1,697.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	103.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	116.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	53,856.00	LF

RAILROAD - CO. RD. 3 (LEVEL & RESEAL) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND SEAL APPROXIMATELY 3.06 MILES OF COUNTY ROAD 2 IN HOWARD COUNTY. THIS PROJECT CONSISTS OF SCARIFYING AND RECOMPACTING ROADWAY, ASPHALT SURFACE TREATMENT, ACHM SURFACE COURSE, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 2

COUNTY: HOWARD

LENGTH: 3.06 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

216201	SCARIFYING AND RECOMPACTING ROADWAY	5.00	STA
401011	TACK COAT	1,305.00	GAL
402111	MINERAL AGGR.IN A.S.T.(CL1)	652.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	18,634.00	GAL
407161	MA IN ACHM SURFACE(3/8")	961.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	59.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	148.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	30,444.00	LF
726002	STANDARD SIGN	36.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	8.00	EACH

SA3352

HWY. 69S - CO. RD. 57 (OVERLAY) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 1.20 MILES OF COUNTY ROAD 9 IN IZARD COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: CR 9

COUNTY: IZARD

LENGTH: 1.20 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	190.00	TON
401011	TACK COAT	1,424.00	GAL
407161	MA IN ACHM SURFACE(3/8")	1,291.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	82.00	TON
415011	ACHM PATCH.EXIST.RDWY.	20.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	148.00	SQFT
726002	STANDARD SIGN	24.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	4.00	EACH

CO. RD. 6 RESEAL (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO RESEAL APPROXIMATELY 2.00 MILES OF COUNTY ROAD 6 IN IZARD COUNTY. THIS PROJECT CONSISTS OF ASPHALT SURFACE TREATMENT, MAINTENANCE OF TRAFFIC, AND MISC. ITEMS.

ROUTES: CR 6

COUNTY: IZARD

LENGTH: 2.00 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

402112	MINERAL AGGR.IN A.S.T.(CL2)	372.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	8,499.00	GAL
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	132.00	SQFT
726002	STANDARD SIGN	72.00	SQFT
729003	CHANNEL POST SIGN SUPPORT-C	14.00	EACH

MISSISSIPPI CO. LEVEL & RESEAL (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO LEVEL AND RESEAL APPROXIMATELY 4.43 MILES OF VARIOUS COUNTY ROADS IN MISSISSIPPI COUNTY. THIS PROJECT CONSISTS OF FOG SEAL, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: VARIOUS

COUNTY: MISSISSIPPI

LENGTH: 4.43 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401005	FOG SEAL (TYPE 2)	5,432.00	GAL
401011	TACK COAT	491.00	GAL
402112	MINERAL AGGR.IN A.S.T.(CL2)	951.00	TON
402204	PLY.MOD.CAT.EMLS.ASPH.(CRS2P)(SLD.PLY.)	21,726.00	GAL
407161	MA IN ACHM SURFACE(3/8")	308.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	19.00	TON
415011	ACHM PATCH.EXIST.RDWY.	40.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	344.00	SQFT
718101	REFL.PAINT PVMT.MRK.YL(4")	47,002.00	LF

BATESVILLE PIKE – SHERWOOD CITY LIMITS (OVERLAY) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 0.82 MILE OF KELLOGG ACRES ROAD IN PULASKI COUNTY. THIS PROJECT CONSISTS OF AGGREGATE BASE COURSE, ACHM SURFACE COURSE, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: KELLOGG ACRES RD.

COUNTY: PULASKI

LENGTH: 0.82 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

303117	AGGR.BASE COURSE(CLASS 7)	130.00	TON
401011	TACK COAT	1,098.00	GAL
407162	MA IN ACHM SURFACE(1/2")	1,315.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	77.00	TON
412001	COLD MILLING ASPHALT PVMT.	511.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	40.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	96.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	8,870.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	8,870.00	LF

SA6258

COLONEL GLENN RD. - NORTH (OVERLAY) (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY 1.20 MILES OF COUNTY ROAD 39 IN SALINE COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, COLD MILLING ASPHALT PAVEMENT, ACHM PATCHING OF EXISTING ROADWAY, MAINTENANCE OF TRAFFIC, PAVEMENT MARKING, AND MISC. ITEMS.

ROUTES: CR 39

COUNTY: SALINE

LENGTH: 1.20 miles in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

401011	TACK COAT	1,650.00	GAL
407162	MA IN ACHM SURFACE(1/2")	1,864.00	TON
407432	AB(PG64-22)ACHM SURF(1/2")	108.00	TON
412002	COLD MILLING ASPHALT PVMT.	351.00	SQYD
415011	ACHM PATCH.EXIST.RDWY.	70.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	148.00	SQFT
718001	REFL.PAINT PVMT.MRK.WH(4")	12,672.00	LF
718101	REFL.PAINT PVMT.MRK.YL(4")	12,672.00	LF

FOXY LN. OVERLAY & REHAB. (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO OVERLAY APPROXIMATELY 0.72 MILE OF COUNTY ROAD 300 IN SCOTT COUNTY. THIS PROJECT CONSISTS OF ACHM SURFACE COURSE, AGGREGATE BASE COURSE, BASE REPLACEMENT, MAINTENANCE OF TRAFFIC, PATCHING OF EXISTING ROADWAY, AND MISC. ITEMS.

ROUTES: CR 300

COUNTY: SCOTT

LENGTH: 0.72 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

207011	STONE BACKFILL	980.00	TON
303117	AGGR.BASE COURSE(CLASS 7)	171.00	TON
401002	PRIME COAT	430.00	GAL
401011	TACK COAT	965.00	GAL
407161	MA IN ACHM SURFACE(3/8")	816.00	TON
407431	AB(PG64-22)ACHM SURF(3/8")	53.00	TON
415011	ACHM PATCH.EXIST.RDWY.	415.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	120.00	SQFT
625020	GEOTEXTILE FABRIC (TYPE 10)	1,075.00	SQYD
718101	REFL.PAINT PVMT.MRK.YL(4")	7,603.00	LF

CO. RD. 12 DRAINAGE STRUCTURE (S)

STATE AID COUNTY JOB (CODE 9970)

THE PURPOSE OF THIS PROJECT IS TO REPLACE A DRAINAGE STRUCTURE ON COUNTY ROAD 12 IN SEVIER COUNTY. THIS PROJECT CONSISTS OF STONE BACKFILL, AGGREGATE BASE COURSE, MAINTENANCE OF TRAFFIC, MINOR DRAINAGE STRUCTURES, PAVEMENT REPAIR OVER CULVERTS, EROSION CONTROL ITEMS, AND MISC. ITEMS.

ROUTES: CR 12

COUNTY: SEVIER

LENGTH: 0.019 mile in length.

THE FOLLOWING ITEMS AND APPROXIMATE QUANTITIES ARE INVOLVED:

202096	R&D OF PIPE CULVERTS	3.00	EACH
207001	STONE BACKFILL	1,800.00	TON
303117	AGGR.BASE COURSE(CLASS 7)	40.00	TON
601001	MOBILIZATION	1.00	L.S.
603009	MAINTENANCE OF TRAFFIC	1.00	L.S.
604003	SIGNS	252.00	SQFT
604013	BARRICADES	64.00	LF
606990	SELECTED PIPE BEDDING	85.00	CUYD
615002	PVMT.REPAIR O/CLVT.(ASPHALT)	125.00	TON
620001	LIME	1.00	TON
620011	SEEDING	0.10	ACRE
620022	MULCH COVER	0.10	ACRE
620030	WATER	10.20	MGAL
621021	SILT FENCE	200.00	LF
621031	SAND BAG DITCH CHECKS	88.00	BAG
621111	SEDIMENT REMOVAL & DISPOSAL	40.00	CUYD
621151	ROCK DITCH CHECKS	12.00	CUYD
816001	FILTER BLANKET	150.00	SQYD
816011	DUMPED RIPRAP	102.00	CUYD
	117" V 70" A DOLL DIDE CHILVEDT ALTERNATE DID ONE ITEM ONLY	,	
606545	117" X 79" ARCH PIPE CULVERT ALTERNATE - BID ONE ITEM ONLY	-	
606515	122" X 77" R.C.ARCH PIPE CLVT.(CL.3)	180.00	LF
606558	117"X79" AL.C.C.ST.ARCH PIPE CLVT 12G	180.00	LF
606617	117"X79" P.P.M.C.C.ST.ARCH.PIPECLVT12G	180.00	LF

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO COMPLETE THIS CONTRACT WITHIN FORTY-FIVE (45) WORKING DAYS.